

## US00D323616S

# United States Patent [19]

#### Mueller

# [11] Patent Number: Des. 323,616

## [45] Date of Patent: \*\* Feb. 4, 1992

4,619,363 10/1986 Wolfseder ...... 206/372 X

5,016,756 5/1991 Wischhusen et al. .......................... 206/545

[54]	COMBINED FOOD STORAGE AND SERVING TRAY WITH COVER		
[75]	Inventor:	Jonathan H. Mueller, Hermitage, Tenn.	
[73]	Assignee:	Aladdin Synergetics, Inc., Nashville, Tenn.	
[**]	Term:	14 Years	
[21]	Appl. No.:	359,933	
[22] [52] [58]	U.S. Cl Field of Sea D7/553,	Jun. 1, 1989  D9/341; D9/424  rch	
	499, 561,	564, 557; 220/412, 413, 415, 902, 4.24,	

### FOREIGN PATENT DOCUMENTS

4,494,654 1/1985 Gunther et al. .

4,545,487 10/1985 Asmus.

4,533,061

8/1985 Herbst.

0081607	12/1981	European Pat. Off	
0167666	11/1984	European Pat. Off	
0310698	10/1987	European Pat. Off	
362904	11/1922	Fed. Rep. of Germany.	
2524708	6/1975	Fed. Rep. of Germany.	
2363309	8/1976	France.	
2459765	6/1979	France.	
2448885	2/1980	France.	
6606963	5/1966	Netherlands .	
628036	of 0000	U.S.S.R.	

Primary Examiner—Melvin B. Feiser

Assistant Examiner—Prabhakar Deshmukh

Attorney, Agent, or Firm—Banner, Birch, McKie &

Beckett

### [56] References Cited

#### U.S. PATENT DOCUMENTS

4.25, 4.26, 4.27

Re. 30,962	6/1982	Bridges .
D. 165,640	1/1952	Dyer et al
D. 214,523	6/1969	Stone.
D. 249,774	10/1978	Seager .
D. 256,872	9/1980	Otto .
D. 271,932	12/1983	Mosley .
<b>D</b> . 280,059	8/1985	Otto
2,147,886	2/1939	Devine.
2,656,946	10/1953	Clarke.
2,810,276	10/1957	Murray .
2,944,694	7/1960	Kinsey.
3,251,460	5/1966	Edmonds 220/4.26
3,413,820	12/1968	Paquin .
3,501,044	3/1970	Stone.
3,502,241	3/1970	Smith 206/561 X
3,532,247	10/1970	Bridges .
3,591,768	7/1971	Torres.
3,613,933	10/1971	Pilz.
3,670,916	6/1972	Alpert .
3,754,640	8/1973	Bridges .
3,799,386	3/1974	Madalin et al.
3,845,875	11/1974	Douglas et al
3,848,766	11/1974	Ganti et al
, ,		Reichert 206/545 X
3,851,754	12/1974	Jones 206/509 X
3,877,603	4/1975	Holz.
• •	2/1976	•
3,974,358	8/1976	Goltsos.
4,020,310	4/1977	Souder, Jr. et al

#### [57] CLAIM

The ornamental design for a combined food storage and serving tray with cover, as shown and described.

#### **DESCRIPTION**

FIG. 1 is a perspective view of a combined food storage and serving tray with cover showing my new design; FIG. 2 is a perspective view of the tray thereof; without cover; with bowls in cavities;

FIG. 3 is a top plan view of the cover in FIG. 1;

FIG. 4 is a bottom plan view of FIG. 3;

FIG. 5 is a front elevation of FIG. 3; the rear elevation being a mirror image;

FIG. 6 is a right side elevation of FIG. 3, the left side elevation being a mirror image;

FIG. 7 is a top plan view of FIG. 2; having no bowls disposed in the cavities;

FIG. 8 is a bottom plan view of FIG. 7;

FIG. 9 is a front elevation of FIG. 7; the rear elevation being a mirror image;

FIG. 10 is a right side elevation of FIG. 7; the left side elevation being a mirror image;

FIG. 11 is a front elevation of a right side cavity bowl in FIG. 2, as disposed; the rear elevation being a mirror image;




FIG. 12 is a right side elevation of FIG. 11; the left side elevation being a mirror image;

FIG. 13 is a top plan view of FIG. 11;

FIG. 14 is a bottom plan view of FIG. 11;

FIG. 15 is a top plan view of a lid for the bowl in FIG. 11;

FIG. 16 is a bottom plan view of FIG. 15;

FIG. 17 is a front elevation of FIG. 15; the rear elevation being a mirror image;

FIG. 18 is a right side elevation of FIG. 15; the left side elevation being a mirror image;

FIG. 19 is a top plan view of a central cavity bowl in FIG. 2; as disposed;

FIG. 20 is a bottom plan view of FIG. 19;

FIG. 21 is a front elevation of FIG. 19; the rear elevation being a mirror image;

FIG. 22 is a right side elevation of FIG. 19; the left side elevation being a mirror image;

FIG. 23 is a top plan view of a lid for a bowl in FIG. 19;

FIG. 24 is a bottom plan view of FIG. 23;

FIG. 25 is a front elevation of FIG. 23; the rear elevation being a mirror image;

FIG. 26 is a right side elevation of FIG. 23; the left side elevation being a mirror image;

FIG. 27 is a top plan view of a left side cavity bowl in

FIG. 2; as disposed;

FIG. 28 is a bottom plan view of FIG. 27;


FIG. 29 is a front elevation of FIG. 27; the rear elevation being a mirror image;


FIG. 30 is a right side elevation of FIG. 27; the left side elevation being a mirror image;


FIG. 31 is a top plan view of first modified form of the tray in FIG. 7; with two cavities; and


FIG. 32 is a top plan view of a second modified form of the tray in FIG. 7; with four cavities.


The bowls in FIGS. 11, 19 and 27 are shown separately for clarity of illustration. The right side cavity bowls in FIG. 2 are identical as illustrated in FIG. 11. FIGS. 31 and 32 show the modified forms of the tray corresponding to FIG. 7. The appearance of trays in FIG. 31 are similar to FIG. 7, except in proportions. The covers to the modified forms in FIGS. 31 and 32 are similar in appearance as shown in FIGS. 6 and 10, except in proportions.























F/G. //




F/G. 12




F/G. 13




F1G. 14




F/G. 15




F/G. 16




F/G. /7




F/G. 18




F/G. 19




F1G. 20




F/G. 2/




F/G. 22




F/G. 23




F/G. 24




F/G. 25




F/G. 26




F/G. 27




F/G. 28



F/G. 29



F1G. 30



F/G. 3/

