



US00D323659S

United States Patent [19]

Jacobsson

[11] Patent Number: **Des. 323,659**

[45] Date of Patent: **** Feb. 4, 1992**

[54] CAB FOR A LOADER
 [75] Inventor: **Leif Jacobsson**, Eskilstuna, Sweden
 [73] Assignee: **VME Industries Sweden AB**,
 Eskilstuna, Sweden

[**] Term: **14 Years**

[21] Appl. No.: **424,321**

[22] Filed: **Oct. 19, 1989**

[30] **Foreign Application Priority Data**

Apr. 20, 1989 [SE] Sweden 89-1009
 [52] U.S. Cl. **D15/30**
 [58] Field of Search D15/10, 22, 26, 28,
 D15/30; 180/89.12, 89.13, 89.19, 900; 296/190,
 202

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 245,697 9/1977 Skyer et al. D15/30

D. 248,475 7/1978 Parks et al. D15/30
 D. 259,045 4/1981 Mende D15/30
 3,866,969 2/1975 Sandrock et al. 296/190
 4,440,437 4/1984 Hahm et al. 296/190
 4,515,234 5/1985 Loy et al. 296/190


Primary Examiner—Bernard Ansher
Assistant Examiner—Sandra Morris
Attorney, Agent, or Firm—Young & Thompson

[57] **CLAIM**

The ornamental design for a cab for a loader, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a cab for a loader showing my new design;
 FIG. 2 is a left side elevational view thereof;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a rear side elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof; and
 FIG. 7 is a front, top and left side perspective view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG.6




FIG. 7