



US00D323713S

United States Patent [19]

[11] Patent Number: Des. 323,713

Arioka et al.

[45] Date of Patent: ** Feb. 4, 1992

[54] BULB FOR SPHYGMOMANOMETER

[75] Inventors: Tetsuya Arioka, Tokyo; Hideo Hata, Fujimi, both of Japan

[73] Assignee: Terumo Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 448,151

[22] Filed: Dec. 8, 1989

[30] Foreign Application Priority Data

Jun. 13, 1989 [JP] Japan 1-21591

Jul. 19, 1989 [JP] Japan 1-26441

[52] U.S. Cl. D24/165

[58] Field of Search D24/165, 166; 128/678, 128/685, 686

[56] References Cited

U.S. PATENT DOCUMENTS

3,254,671 6/1966 Berliner 128/685 X

3,633,567 1/1972 Sarnoff 128/686

3,670,720 6/1972 Panzer 128/685

3,779,236 12/1973 Stewart 128/685

Primary Examiner—Stella Reid

Attorney, Agent, or Firm—Frishauf, Holtz, Goodman & Woodward

[57] CLAIM

The ornamental design for a bulb for sphygmomanometer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bulb for sphygmomanometer, showing our new design; FIG. 2 is a front elevational view thereof, the rear elevational view being identical thereto; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a perspective view of a second embodiment of the bulb for sphygmomanometer; FIG. 8 is a front elevational view thereof, the rear elevational view being identical thereto; FIG. 9 is a top plan view thereof; FIG. 10 is a bottom plan view thereof; FIG. 11 is a left side elevational view thereof; and FIG. 12 is a right side elevational view thereof.





FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12

