



US00D323714S

United States Patent [19]
Greco

[11] **Patent Number: Des. 323,714**
[45] **Date of Patent: ** Feb. 4, 1992**

[54] **ROLLING GATE GRILLE**

[76] **Inventor: Vincent Greco, 65 Rockledge Drive, Pelham Manor, N.Y. 10803**

[**] **Term: 14 Years**

[21] **Appl. No.: 451,359**

[22] **Filed: Dec. 15, 1989**

[52] **U.S. Cl. D25/50**

[58] **Field of Search D25/48, 49, 50, 47, D25/153, 154, 50, 53, 52; D5/1, 2, 3; 52/160-165, 169-170, 174, 177, 180; 160/235, 238**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 102,814 1/1937 Brunst D25/60
D. 297,572 9/1988 Greco D25/50

OTHER PUBLICATIONS

1981 Sweets Catalogue Section 8.7/Pac, p. 17, item center left of page Staggered Link Pattern Illustration.


Primary Examiner—A. Hugo Word
Assistant Examiner—Doris Clark
Attorney, Agent, or Firm—Goodman & Teitelbaum

[57] **CLAIM**

The ornamental design for a rolling gate grille, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view taken from the front of a rolling gate grille, showing my new design;
FIG. 2 is a perspective view taken from the rear thereof;
FIG. 3 is an enlarged perspective view of one of the support members shown in FIG. 1;
FIG. 4 is an enlarged perspective view of an end support member shown in FIG. 1;
FIG. 5 is a perspective view taken from the front of a second embodiment of a rolling gate grille showing my new design;
FIG. 6 is a perspective view taken from the rear of the second embodiment shown in FIG. 5;
FIG. 7 is a perspective view taken from the front of a third embodiment of a rolling gate grille showing my new design;
FIG. 8 is a perspective view taken from the rear of the third embodiment shown in FIG. 7;
FIG. 9 is a perspective view taken from the front of a fourth embodiment of a rolling gate grille showing my new design;
FIG. 10 is a perspective view taken from the rear of the fourth embodiment shown in FIG. 9;
FIG. 11 is an enlarged perspective view of one of the support members shown in FIG. 9; and
FIG. 12 is an enlarged perspective view of an end support member shown in FIG. 9.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12