



US00D323743S

# United States Patent [19]

[11] Patent Number: Des. 323,743

DiSessa et al.

[45] Date of Patent: \*\* Feb. 11, 1992

## [54] COMPUTER CARRYING CASE

[75] Inventors: Vincent DiSessa, Walled Lake, Mich.; Matthew D. Marhefka, Southampton, Pa.

[73] Assignee: Unisys Corporation, Detroit, Mich.

[\*\*] Term: 14 Years

[21] Appl. No.: 320,240

[22] Filed: Mar. 6, 1989

[52] U.S. Cl. .... D3/74; D3/30.1; D3/42

[58] Field of Search ..... D3/30.5, 33, 35, 42, D3/51, 52, 71, 76-79, 74; 224/908, 257, 258; 150/100, 107, 112; 190/109, 111; 206/581

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 234,410	2/1975	Rosenblum	.....	D3/71
D. 241,783	10/1976	Sykes	.....	D3/71 X
D. 259,974	7/1981	Schneider et al.	.....	D3/48 X
2,308,003	1/1943	Gamrod	.....	D3/42 X
2,550,199	4/1951	Moss	.....	190/107 X
2,827,096	3/1958	Hinson	.....	190/111 X

Primary Examiner—Wallace R. Burke

Assistant Examiner—Pam Schmidt

Attorney, Agent, or Firm—Nathan Cass; Mark T. Starr

## [57] CLAIM

The ornamental design for a computer carrying case, as shown and described.



## DESCRIPTION

FIG. 1 is a rear perspective view of a computer carrying case as seen from the top, showing our new design; FIG. 2 is a perspective view thereof, as seen from the bottom and left side; FIG. 3 is a front perspective view thereof; FIG. 4 is a perspective view thereof, as seen from the top and right side; FIG. 5 is a rear elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a front elevational view thereof; FIG. 10 is a rear perspective view thereof, as seen from the top in an opened position; FIG. 11 is a rear elevational view thereof, in an opened position; FIG. 12 is a top plan view thereof; FIG. 13 is a right side elevational view thereof, the undisclosed left side being substantially the same; and FIG. 14 is a front elevational view thereof, in an opened position.

The cover portion in FIGS. 11, 13, and 14 is shown broken-away for ease of illustration only.

The broken lines in FIGS. 1, 3, 10, 11, and 12 represent conventional stitching.

The cross-lining in all views which represents conventional fabric is partially shown for ease of illustration only and is understood to cover the entire area as indicated.






FIG. 1




FIG. 2

FIG. 3





FIG. 4






FIG. 5

FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11




FIG. 13




FIG. 12




FIG. 14