



US00D323788S

United States Patent [19]

[11] Patent Number: **Des. 323,788**

Roberts et al.

[45] Date of Patent: **** Feb. 11, 1992**

[54] **DOOR/WINDOW SIGNAL TRANSMITTER FOR ALARM SYSTEMS**

4,339,747 7/1982 Maybee 340/546

[75] Inventors: **Ken Roberts; Miles Conklin**, both of Battle Creek; **Doug Wolff, Marshall**, all of Mich.; **Mark T. Salander**, Barrington, R.I.

OTHER PUBLICATIONS

World Automotive Security Catalogue Mar. 19, 1987, p. 21, 'door/window wedge alarm.'

[73] Assignee: **Amway Corporation**, Ada, Mich.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Marcus Jackson

Attorney, Agent, or Firm—Michael A. Mohr

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **408,096**

The ornamental design for a door/window signal transmitter for alarm systems, as shown and described.

[22] Filed: **Sep. 15, 1989**

DESCRIPTION

[52] U.S. Cl. **D10/106**

[58] Field of Search **D10/106, 104, 121, 118; 340/539, 541, 545, 546, 547, 550, 561, 562, 565, 566, 567, 568, 571, 572**

FIG. 1 is a perspective view of a door/window signal transmitter for alarm systems showing our new design, with the wire broken away to indicate indeterminate length;

FIG. 2 is a top plan view thereof;

FIG. 3 is a right side elevational view thereof, with the left side being a mirror image;

FIG. 4 is a bottom plan view thereof;


FIG. 5 is a rear elevational view thereof; and

FIG. 6 is a front elevational view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

- | | | | | |
|------------|---------|----------|-------|---------|
| D. 264,564 | 5/1982 | Jaretsky | | D10/106 |
| D. 307,874 | 5/1990 | Mallory | | D10/106 |
| 4,059,299 | 11/1977 | Huntley | | 340/546 |






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.