



US00D323788S

# United States Patent [19]

[11] Patent Number: **Des. 323,788**

Roberts et al.

[45] Date of Patent: **\*\* Feb. 11, 1992**

[54] **DOOR/WINDOW SIGNAL TRANSMITTER FOR ALARM SYSTEMS**

4,339,747 7/1982 Maybee ..... 340/546

[75] Inventors: **Ken Roberts; Miles Conklin**, both of Battle Creek; **Doug Wolff, Marshall**, all of Mich.; **Mark T. Salander**, Barrington, R.I.

### OTHER PUBLICATIONS

World Automotive Security Catalogue Mar. 19, 1987, p. 21, 'door/window wedge alarm.'

[73] Assignee: **Amway Corporation**, Ada, Mich.

*Primary Examiner*—Wallace R. Burke

*Assistant Examiner*—Marcus Jackson

*Attorney, Agent, or Firm*—Michael A. Mohr

[\*\*] Term: **14 Years**

### [57] CLAIM

[21] Appl. No.: **408,096**

The ornamental design for a door/window signal transmitter for alarm systems, as shown and described.

[22] Filed: **Sep. 15, 1989**

### DESCRIPTION

[52] U.S. Cl. .... **D10/106**

[58] Field of Search ..... **D10/106, 104, 121, 118; 340/539, 541, 545, 546, 547, 550, 561, 562, 565, 566, 567, 568, 571, 572**

FIG. 1 is a perspective view of a door/window signal transmitter for alarm systems showing our new design, with the wire broken away to indicate indeterminate length;

FIG. 2 is a top plan view thereof;

FIG. 3 is a right side elevational view thereof, with the left side being a mirror image;

FIG. 4 is a bottom plan view thereof;


FIG. 5 is a rear elevational view thereof; and


FIG. 6 is a front elevational view thereof.

### [56] References Cited


#### U.S. PATENT DOCUMENTS

D. 264,564	5/1982	Jaretsky	.....	D10/106
D. 307,874	5/1990	Mallory	.....	D10/106
4,059,299	11/1977	Huntley	.....	340/546







*Fig. 1.*




*Fig. 2.*




*Fig. 3.*



*Fig. 4.*



*Fig. 5.*



*Fig. 6.*