



US00D323825S

United States Patent [19]

Yasuno et al.

[11] Patent Number: **Des. 323,825**

[45] Date of Patent: **** Feb. 11, 1992**

[54] **MONITOR TELEVISION RECEIVER**

D. 316,855 5/1991 Saeki et al. D14/126

[75] Inventors: **Hiroshi Yasuno; Toshihiro Iyama; Takaharu Kabetani; Mitsunari Fujii; Toshikazu Asanuma**, all of Osaka, Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **636,966**

[22] Filed: **Dec. 28, 1990**

[52] U.S. Cl. **D14/126**

[58] Field of Search **D14/124-135, D14/113; 358/236-239, 254-255; 312/7.2**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 306,724 3/1990 Inoue et al. D14/126
- D. 308,377 6/1990 Saito et al. D14/126

OTHER PUBLICATIONS

Video Review, Dec. 1987, p. 56, left center-Zenith Model ZCM-1490.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Sughrue, Mion, Zinn Macpeak & Seas

[57] **CLAIM**

The ornamental design for a monitor television receiver, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a monitor television receiver showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a rear elevational view thereof; and FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

