



US00D323825S

# United States Patent [19]

Yasuno et al.

[11] Patent Number: **Des. 323,825**

[45] Date of Patent: **\*\* Feb. 11, 1992**

[54] **MONITOR TELEVISION RECEIVER**

D. 316,855 5/1991 Saeki et al. .... D14/126

[75] Inventors: **Hiroshi Yasuno; Toshihiro Iyama; Takaharu Kabetani; Mitsunari Fujii; Toshikazu Asanuma**, all of Osaka, Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **636,966**

[22] Filed: **Dec. 28, 1990**

[52] U.S. Cl. .... **D14/126**

[58] Field of Search .... **D14/124-135, D14/113; 358/236-239, 254-255; 312/7.2**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 306,724 3/1990 Inoue et al. .... D14/126
- D. 308,377 6/1990 Saito et al. .... D14/126

**OTHER PUBLICATIONS**

Video Review, Dec. 1987, p. 56, left center-Zenith Model ZCM-1490.

*Primary Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn Macpeak & Seas

[57] **CLAIM**

The ornamental design for a monitor television receiver, as shown.

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of a monitor television receiver showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a rear elevational view thereof; and FIG. 7 is a bottom plan view thereof.




FIG. 1







FIG. 2



*FIG. 3*



*FIG. 4*



*FIG. 5*




FIG. 6




FIG. 7

