



US00D323826S

United States Patent [19]

[11] Patent Number: **Des. 323,826**

Suzuki et al.

[45] Date of Patent: **** Feb. 11, 1992**

[54] **TRANSCEIVER**

D. 310,218 8/1990 Murphy D14/137
D. 310,664 9/1990 Murphy D14/137

[75] Inventors: **Hideo Suzuki, Ryugasaki; Shinichi Ogasawara, Yokohama, both of Japan**

OTHER PUBLICATIONS

The Sharper Image, p. 33, top left.

[73] Assignee: **Sony Corporation, Tokyo, Japan**

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H. Maioli

[**] Term: **14 Years**

[21] Appl. No.: **317,348**

[57] **CLAIM**

The ornamental design for a transceiver, as shown and described.

[22] Filed: **Mar. 1, 1989**

[30] **Foreign Application Priority Data**

DESCRIPTION

Sep. 1, 1988 [JP] Japan 63-34596
[52] U.S. Cl. **D14/137; D14/188**
[58] Field of Search **D14/124, 137, 155, 157, D14/159, 188, 258, 265, 299; 45/73, 89-90, 128**

FIG. 1 is a top, front and right-side perspective view of a transceiver, showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left-side elevational view thereof;
FIG. 5 is a right-side elevational view thereof;
FIG. 6 is a top plan view thereof; and
FIG. 7 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 294,830 3/1988 Umehara et al. D14/155




FIG. 1




FIG. 2




FIG. 6




FIG. 3




FIG. 5




FIG. 4





FIG. 7