



US00D323841S

United States Patent [19]

[11] Patent Number: **Des. 323,841**

Iwama et al.

[45] Date of Patent: **** Feb. 11, 1992**

[54] VIDEO CAMERA

D. 316,419 4/1991 Matsumura D16/202
4,772,902 9/1988 Inoue et al. .

[75] Inventors: **Takeshi Iwama**, Tokyo; **Kazuki Isono**, Yokohama, both of Japan

Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H. Maioli

[73] Assignee: **Sony Corporation**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **476,348**

[57] **CLAIM**

[22] Filed: **Feb. 7, 1990**

The ornamental design for a video camera, as shown and described.

[30] **Foreign Application Priority Data**

DESCRIPTION

Sep. 22, 1989 [JP] Japan 1-34665

[52] U.S. Cl. **D16/202**

[58] Field of Search D16/200, 202, 203-205;
352/34, 242, 243; 354/82, 293, 288; 358/229,
906

FIG. 1 is a top, front and right-side perspective view of a video camera, showing our new design;

FIG. 2 is a top, rear and left-side perspective view thereof;

FIG. 3 is a top, rear and left-side perspective view thereof, shown with hand strap disconnected;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a left-side elevational view thereof;

FIG. 7 is a right-side elevational view thereof;


FIG. 8 is a top plan view thereof; and

FIG. 9 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 282,656 2/1986 Mohri D16/202
- D. 295,515 5/1988 Ishida D16/202
- D. 305,032 12/1989 Nishiyama et al. D16/202
- D. 315,915 4/1991 Morimiya D16/202







FIG. 1

FIG. 2






FIG. 3

FIG. 4





FIG. 6




FIG. 5




FIG. 9




FIG. 7




FIG. 8