



US00D323870S

# United States Patent [19]

Kaufman

[11] Patent Number: **Des. 323,870**

[45] Date of Patent: **\*\* Feb. 11, 1992**

[54] **ELECTRONIC RESTRAINT WEAPON**

4,843,336 6/1989 Kuo ..... 361/232 X

[76] Inventor: **Dennis R. Kaufman**, 5508 Sutton La.,  
Willoughby, Ohio 44094

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Doris V. Coles  
*Attorney, Agent, or Firm*—Fay, Sharpe, Beall Fagan,  
Minnich & McKee

[\*\*] Term: **14 Years**

[21] Appl. No.: **367,500**

## [57] CLAIM

[22] Filed: **Jun. 16, 1989**

The ornamental design for an electronic restraint  
weapon, as shown.

[52] U.S. Cl. .... **D22/117**

[58] Field of Search ..... **D22/117; 273/84 ES;**  
**361/232; 231/7; 119/29**


## DESCRIPTION

[56] **References Cited**

### U.S. PATENT DOCUMENTS

D. 215,934 11/1969 Litman ..... D22/117  
D. 292,113 9/1987 Hsu ..... D22/117  
D. 299,507 1/1989 Hwa ..... D22/117  
4,688,140 8/1987 Hammes ..... 361/232

FIG. 1 is a front elevational view of an electronic re-  
straint weapon showing my new design;  
FIG. 2 is a right side elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a bottom plan view thereof; and,  
FIG. 6 is a left side end view thereof.






FIG. 3




FIG. 1




FIG. 2




FIG. 4




FIG. 6




FIG. 5