



US00D323871S

United States Patent [19]

[11] Patent Number: **Des. 323,871**

Nitta et al.

[45] Date of Patent: **** Feb. 11, 1992**

[54] **BAIT STATION**

[75] Inventors: **Yuji Nitta, Nara; Takeshi Okuno, Osaka, both of Japan**

[73] Assignee: **Sumitomo Chemical Co., Ltd., Osaka, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **458,826**

[22] Filed: **Dec. 29, 1989**

[30] **Foreign Application Priority Data**

Jul. 7, 1989 [JP] Japan 1-25048

[52] U.S. Cl. **D22/122; D22/119**

[58] Field of Search **D22/119, 122; 43/114-115, 121, 124, 131, 132.1**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 258,751 3/1981 Lindley D22/122

D. 275,875	10/1984	Woodruff	D22/122
D. 278,842	5/1983	Woodruff	D22/119
D. 298,160	10/1988	Gatarz	D22/122
D. 306,197	2/1990	Demarest et al.	D22/122
D. 306,895	3/1990	Mares	D22/122
4,793,093	12/1988	Gentile	43/131

Primary Examiner—A. Hugo Word
Assistant Examiner—Doris V. Coles
Attorney, Agent, or Firm—Stevens, Davis, Miller & Mosher

[57] **CLAIM**

The ornamental design for a bait station, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a bait station showing our new design;
FIG. 2 is a front elevational view, the rear and sides being mirror images thereof;
FIG. 3 is a bottom plan view thereof; and
FIG. 4 is a top plan view with the cover removed.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

