



US00D324144S

United States Patent [19]

Watrous

[11] Patent Number: Des. 324,144

[45] Date of Patent: ** Feb. 25, 1992

[54] TV GUIDE AND TELEVISION REMOTE CONTROL STAND

[76] Inventor: Leslie P. Watrous, 19922 Fernglen, Yorba Linda, Calif. 92806

[**] Term: 14 Years

[21] Appl. No.: 199,302

[22] Filed: May 26, 1988

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 161,837, Feb. 29, 1988.

[52] U.S. Cl. D6/476; D3/35; D6/467; D10/2; D19/91

[58] Field of Search D6/476, 467, 466, 407, D6/449; D10/15, 2; D7/637, 640, 619, 616, 605, 603; D9/341, 347; D19/78, 90, 91; D3/35, 30.1

[56] References Cited

U.S. PATENT DOCUMENTS

D. 171,441 2/1954 Cornick D6/476
D. 192,271 2/1962 Gullano D34/46
D. 249,273 9/1978 Day D19/78
D. 256,199 8/1980 Burke et al. D6/476 X
D. 260,197 8/1981 Long et al. D3/35 X
D. 263,934 4/1982 Fuerneisen D10/2
D. 272,025 1/1984 Goutchat D19/91 X
D. 274,069 5/1984 Fromm D19/91 X
D. 297,868 9/1988 Sussman D9/347 X

OTHER PUBLICATIONS

Inmac Catalog, oak disk.

Primary Examiner—Bruce W. Dunkins

Assistant Examiner—Jeffrey Asch

Attorney, Agent, or Firm—Knobbe, Martens, Olson & Bear

[57] CLAIM

The ornamental design for a TV guide and television remote control stand, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a TV guide and television remote control stand showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view, the left side being a mirror image thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a perspective view of a second embodiment of the stand shown in FIG. 1; FIG. 8 is a front elevational view thereof; FIG. 9 is a right side elevational view, the left side being a mirror image thereof; FIG. 10 is a top plan view thereof; FIG. 11 is a rear elevational view thereof; FIG. 12 is a bottom plan view thereof; FIG. 13 is a perspective view of a third embodiment of the stand shown in FIG. 1; FIG. 14 is a front elevational view thereof; FIG. 15 is a right side elevational view, the left side being a mirror image thereof; FIG. 16 is a top plan view thereof; FIG. 17 is a rear elevational view thereof; FIG. 18 is a bottom plan view thereof; FIG. 19 is a cross-sectional view taken along line 19—19 of FIG. 16; FIG. 20 is a perspective view of a fourth embodiment of the stand shown in FIG. 1; FIG. 21 is a top plan view thereof; FIG. 22 is a cross-sectional view taken along line 22—22 of FIG. 21; FIG. 23 is a front elevational view thereof; FIG. 24 is a right side elevational view, the left side being a mirror image thereof; FIG. 25 is a rear elevational view thereof; and FIG. 26 is a bottom plan view thereof.





Fig. 1





Fig. 4




Fig. 2

Fig. 3





Fig. 5




Fig. 6

Fig. 7





Fig. 10




Fig. 8

Fig. 9





Fig. 11

Fig. 12




Fig. 13





Fig. 16

Fig. 15





Fig. 14




Fig. 17





Fig. 18

Fig. 19






FIG. 20




FIG. 21

FIG. 22





FIG. 23

FIG. 24





FIG. 25

FIG. 26

