



US00D324235S

United States Patent [19]

[11] Patent Number: **Des. 324,235**

Moore

[45] Date of Patent: **** Feb. 25, 1992**

[54] **COMBINED PEN AND FLASHLIGHT**

D. 301,486	6/1989	Yuen	D19/36
D. 314,633	2/1991	Lam	D26/38
1,093,287	4/1914	Neff	D26/38 X
2,607,883	8/1952	Berkowitz	D26/38 X

[76] Inventor: **Elaine A. Moore, 82 Pinta Cir., Springfield, Mass. 01104**

[**] Term: **14 Years**

*Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Martha Thompson
Attorney, Agent, or Firm—Leon Gilden*

[21] Appl. No.: **357,308**

[22] Filed: **May 26, 1989**

[57] **CLAIM**

[52] U.S. Cl. **D19/36; D19/43; D19/51; D19/49; D19/57**

The ornamental design for a combined pen and flashlight, as shown and described.

[58] Field of Search **D26/38; D19/35, 36, D19/41-51, 54-58, 81-85; 401/195**

DESCRIPTION

[56] **References Cited**


FIG. 1 is a front elevational view of a combined pen and flashlight showing my new design in an exploded condition;

U.S. PATENT DOCUMENTS

FIG. 2 is a rear elevational view in an exploded condition, shown partially broken away for convenience of illustration;

- | | | | | |
|------------|---------|-----------|-------|----------|
| D. 101,073 | 9/1936 | Tamis | | D19/41 X |
| D. 160,757 | 10/1950 | Weiss | | D19/36 |
| D. 179,706 | 2/1957 | Schwartz | | D19/51 X |
| D. 208,842 | 10/1967 | Burkhardt | | D26/38 X |
| D. 260,657 | 9/1981 | Funahashi | | D19/57 X |
| D. 292,243 | 10/1987 | O'Grady | | D26/38 X |
| D. 300,087 | 3/1989 | Henderson | | D26/38 X |

FIG. 3 is a left side elevational view of FIG. 2;
FIG. 4 is a right side elevational view of FIG. 2;
FIG. 5 is a top plan view of FIG. 1; and
FIG. 6 is a bottom plan view of FIG. 1.






Fig. 1






Fig. 2






Fig. 3




Fig. 4




Fig. 5




Fig. 6