

#### US00D324369S

## United States Patent [19]

### Bushman et al.

terprise 11-87.

11-87.

# [11] Patent Number: Des. 324,369

## [45] Date of Patent: \*\* Mar. 3, 1992

[54]	BATTERY	CHARGER
[75]	Inventors:	Douglas C. Bushman, Houston; Jeffrey C. Barrus, Tomball, both of Tex.
[73]	Assignee:	Compaq Computer Corporation, Houston, Tex.
[**]	Term:	14 Years
[21]	Appl. No.	430,232
[22] Filed: Oct. 31, 1989 [52] U.S. Cl		
[56]		References Cited
U.S. PATENT DOCUMENTS		
D	. 264,583 5/	1969 Dailey
Battery Charger 21–1234 on p. 244 of Hong Kong En-		
,		

Battery Chargerson p. 340 of Hong Kong Enterprise

Battery Chargers on p. 386 of Hong Kong Enterprise 11-87.

Battery Chargers on p. 131 of Hardware Age 11-87.

Primary Examiner—Susan J. Lucas
Assistant Examiner—J. Sincavage

Attorney, Agent, or Firm-Christopher D. Keirs

[57] CLAIM

The ornamental design for a battery charger, as shown and described.

#### DESCRIPTION

FIG. 1 is a front isometric view of a battery charger showing our new design with both access doors in the fully open position;

FIG. 2 is a front isometric view of a battery charger showing our new design with both access doors in the fully closed position;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a rear elevational view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a cross-sectional view thereof taken along line 9—9 of FIG. 5; and

FIG. 10 is a cross-sectional view thereof taken along line 10—10 of FIG. 5.




FIG.1




FIG.9





FIG.10







FIG.3








FIG.4


FIG.5



# FIG.6



# F1G.7






FIG.8