



US00D324570S

# United States Patent [19]

Arioka et al.

[11] Patent Number: **Des. 324,570**

[45] Date of Patent: **\*\* Mar. 10, 1992**

[54] **SPHYGMOMANOMETER**

[75] Inventors: **Tetsuya Arioka, Tokyo; Hideo Hata, Fujimi, both of Japan**

[73] Assignee: **Terumo Kabushiki Kaisha, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **448,149**

[22] Filed: **Dec. 8, 1989**

[30] **Foreign Application Priority Data**

Jun. 13, 1989 [JP] Japan ..... 1-21589

[52] U.S. Cl. .... **D24/165; D10/78**

[58] Field of Search ..... **D24/165; 128/677, 678, 128/680, 681, 682, 685, 686; D10/78**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 263,422 3/1982 Koshino ..... D24/165

D. 283,915 5/1986 Kosako et al. .... D24/165  
D. 283,916 5/1986 Akiyama ..... D24/165  
D. 284,029 5/1986 Nishibori et al. .... D24/165  
D. 287,878 1/1987 Peeler ..... D24/165  
4,796,184 1/1989 Bahr et al. .... D24/165 X

*Primary Examiner*—Stella Reid  
*Attorney, Agent, or Firm*—Frishauf, Holtz, Goodman & Woodward

[57] **CLAIM**

The ornamental design for a sphygmomanometer, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a sphygmomanometer showing our new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a top plan view thereof; and  
FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6




FIG.7

