



US00D324650S

United States Patent [19]

Larson

[11] Patent Number: Des. 324,650

[45] Date of Patent: ** Mar. 17, 1992

[54] BOTTLE

[75] Inventor: Raymond L. Larson, Fargo, N. Dak.

[73] Assignee: BMR, Inc., Fargo, N. Dak.

[**] Term: 14 Years

[21] Appl. No.: 352,913

[22] Filed: May 17, 1989

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 56,532, Jun. 1, 1987, Pat. No. Des. 303,497, Continuation-in-part of Ser. No. 906,156, Sep. 11, 1986, Pat. No. Des. 303,496.

[52] U.S. Cl. D9/370; D9/378; D9/380; D9/394; D9/396

[58] Field of Search D9/370, 378, 380, 396, D9/391, 394, 349, 350; 215/1 R, 1 C, 100 A; 222/185

[56] References Cited

U.S. PATENT DOCUMENTS

D. 24,333 5/1895 Dawes D9/385
D. Re.25,316 1/1963 Stenger et al. .
D. 106,061 9/1937 Reeves .
D. 171,528 2/1954 Canter .
D. 193,910 10/1962 Sterges .
D. 194,069 11/1962 Houghton .
D. 194,631 2/1963 Eicholtz .
D. 197,918 4/1964 Petitto .
D. 201,157 5/1965 Harlow .
D. 204,500 4/1966 Gould .
D. 209,929 1/1968 Plummer .
D. 214,973 8/1969 Amand .
D. 219,863 2/1971 Beaver .
D. 227,654 7/1973 Byrne .
D. 233,134 10/1974 Sinding .
D. 235,310 6/1975 Betka .
D. 240,797 8/1976 Potect .
D. 243,121 1/1977 Ralston, Jr. et al. .
D. 244,427 5/1977 Schieser et al. .
D. 244,990 7/1977 Anderson .
D. 258,563 3/1981 Romagnoli .
D. 264,942 6/1982 Schieser et al. D9/411 X
D. 268,480 4/1983 Cox D9/378
D. 271,113 10/1983 Birkeland et al. D9/381 X
D. 271,377 11/1983 Klim D9/378
D. 275,734 10/1984 Voice .

D. 276,790 12/1984 Laske D9/378
D. 280,709 9/1985 Waring .
D. 282,957 3/1986 Carlson .
D. 283,396 4/1986 Bouthillier .
D. 284,033 5/1986 Brodsky .
D. 288,293 2/1987 Arvans .
D. 317,122 5/1991 Owen D9/367
991,417 5/1911 Boggs .
1,368,703 2/1921 Czerny 222/185
2,502,298 3/1950 White .
2,635,604 4/1953 Fredrickson .
3,195,752 7/1965 Cox .
3,341,047 9/1967 Nauta .
3,688,950 9/1972 Parish .
3,717,277 2/1973 Stengle, Jr. .
4,391,308 7/1983 Steiner .
4,629,096 12/1986 Schroer et al. .
4,658,975 4/1987 Cone .
4,717,031 1/1988 Hewson 215/1 C

FOREIGN PATENT DOCUMENTS

1465560 12/1966 France .
110547 1/1965 Netherlands .

OTHER PUBLICATIONS

The Reid Valve Company, Inc. brochure—"Reid Sani-Seal-Ring".

Consumer Reports, Jan. 1987, pp. 42-48—"Water, Water Everywhere".

Primary Examiner—Melvin B. Feifer

Assistant Examiner—Lucy Lieberman

Attorney, Agent, or Firm—Burd, Bartz & Gutenkauf

[57] CLAIM

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle showing my new design;

FIG. 2 is a bottom plan view thereof;

FIG. 3 is a rear elevation thereof;

FIG. 4 is a side elevation thereof, the opposite side is a mirror image thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a front elevation thereof;




FIG. 7 is a perspective view of a modified form of the bottle;

FIG. 8 is a bottom plan view of FIG. 7;

FIG. 9 is a side elevation of FIG. 7;

FIG. 10 is a rear elevation of FIG. 7;

FIG. 11 is a front elevation of FIG. 7;

FIG. 12 is a top plan view of FIG. 7;

FIG. 13 is a perspective view of another modified form of the bottle;

FIG. 14 is a bottom plan view of FIG. 13;

FIG. 15 is a side elevation of FIG. 13;

FIG. 16 is a rear elevation of FIG. 13;

FIG. 17 is a front elevation of FIG. 13; and,

FIG. 18 is a top plan view of FIG. 13.

This application is a continuation in part of U.S. application Ser. No. 056,532 filed Jun. 1, 1987 now U.S. Pat. No. Des. 303,497 and application No. 906,156 filed Sept. 11, 1986 now U.S. Pat. No. Des. 303,496.




Fig. 1






Fig. 2






Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 12




Fig. 11




Fig. 13






Fig. 14






Fig. 18




Fig. 17