



US00D324851S

United States Patent [19]

[11] Patent Number: **Des. 324,851**

Barnett

[45] Date of Patent: **** Mar. 24, 1992**

[54] **ELECTRICALLY CONDUCTIVE RIBBON**

[75] Inventor: **Ian R. Barnett**, Christchurch, New Zealand

[73] Assignee: **Donaghy's Industries Limited**, Dunedin, New Zealand

[**] Term: **14 Years**

[21] Appl. No.: **278,932**

[22] Filed: **Dec. 1, 1988**

[52] U.S. Cl. **D13/153**

[58] Field of Search **D13/133, 153; 174/68.1, 174/117 R, 117 F, 117 FF, 117 M**

3,004,229	10/1961	Stearns	D13/153 X
4,157,425	6/1979	Pignataro et al.	D13/153 X
4,439,256	3/1984	Meserre	174/117 F X
4,486,619	12/1984	Trine et al.	174/117 F X
4,527,135	7/1985	Piper	174/117 F X
4,837,405	6/1989	Bonjour et al.	174/117 F X

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Pearne, Gordon, McCoy & Granger

[57] **CLAIM**

The ornamental design for an electrically conductive ribbon, as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view of an electrically conductive ribbon showing my new design, the rear being a mirror image, and the ends being shown broken-away to indicate indeterminate length; and, FIG. 2 is a vertical cross-sectional view thereof, taken along line 2—2 of FIG. 1.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 102,214	12/1936	Tyson	D13/153
D. 114,566	5/1939	Tammen	D13/153
2,729,696	1/1956	Maspelsden et al.	D13/153 X






FIG. 1



FIG. 2