



US00D325016S

United States Patent [19]

[11] Patent Number: **Des. 325,016**

Moore

[45] Date of Patent: **** Mar. 31, 1992**

[54] **BARRIER NET FOR SUSPENSION BETWEEN THE PASSENGER AND TRUNK COMPARTMENT OF A VEHICLE**

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Basile and Hanlon

[75] Inventor: **Donal Moore, Northville, Mich.**

[57] **CLAIM**

[73] Assignee: **Polytech Netting Industries, L.P.**

The ornamental design for a barrier net for suspension between the passenger and trunk compartment of a vehicle, as shown and described.

[**] Term: **14 Years**

[21] Appl. No.: **503,287**

DESCRIPTION

[22] Filed: **Apr. 2, 1990**

[52] U.S. Cl. **D12/155**

[58] Field of Search **D12/155, 190; 296/24.1, 296/50, 106; 280/749; 410/117, 118**

FIG. 1 is a front elevation view of a barrier net for suspension between the passenger and trunk compartment of a vehicle showing my new design;

FIG. 2 is a rear elevation view thereof;

FIG. 3 is a side elevation view thereof, the opposite side being a mirror image of that shown;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevation view of a barrier net for suspension between the passenger and trunk compartment of a vehicle showing a second embodiment of my new design;

FIG. 7 is a rear elevation view of FIG. 6;

FIG. 8 is a side elevation view of FIG. 6, the opposite side being a mirror image of that shown;

FIG. 9 is a top plan view of FIG. 6; and,

FIG. 10 is a bottom plan view of FIG. 6.

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,997,331	8/1961	Kudner	296/24.1
3,049,373	8/1962	Biggers	296/106
3,190,686	6/1965	Smiler	296/24.1
3,367,707	2/1968	Merriweather	296/24.1
4,213,636	7/1980	King	280/749
4,763,944	8/1988	Fry et al.	296/50

FOREIGN PATENT DOCUMENTS

2470033	6/1981	France	296/24.1
2206548	1/1989	United Kingdom	296/24.1






FIG-4




FIG-1



FIG-3



FIG-5




FIG-2



FIG-9



FIG-10




FIG-6



FIG-8




FIG-7