



US00D325121S

United States Patent [19]

[11] Patent Number: **Des. 325,121**

Merchant

[45] Date of Patent: **** Apr. 7, 1992**

[54] **SHOE SOLE**

[75] Inventor: **Doug Merchant, Pearl, Miss.**

[73] Assignee: **Claytex Trophies, Inc., Henrietta, Tex.**

[**] Term: **14 Years**

[21] Appl. No.: **215,897**

[22] Filed: **Jul. 5, 1988**

[52] U.S. Cl. **D2/319; D2/265**

[58] Field of Search **D2/264, 265, 274, 292, D2/293, 308-314, 317-322, 325; 36/2.5 R, 2.5 A, 7.2, 7.5, 7.8, 25 R, 30 R, 32 R, 102-106, 107, 108, 112-114, 132, 136**

2,235,256	3/1941	Elliott	D2/325 X
2,424,609	7/1947	Friedman	36/2.5
2,460,098	1/1949	Maling	D2/319 X
2,572,671	10/1951	Shaw	36/72 R
2,660,813	12/1953	Shapiro	36/2.5
2,758,394	8/1956	Whitlock	36/2.5
2,941,316	1/1960	Hack	36/59
3,170,248	2/1965	Levine	36/2.5
3,271,886	9/1966	Hartpence	36/7.2
3,739,500	6/1973	Cox	36/2.5 A
4,040,192	8/1977	Perez	36/108
4,262,433	4/1981	Hagg	36/25 R
4,302,861	12/1981	Coppuck	36/30 R
4,348,821	9/1982	Daswick	36/103
4,534,124	8/1983	Schnell	36/114
4,541,185	9/1985	Chou	36/114

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 118,125	12/1939	Marks	D2/292
D. 187,459	3/1960	McIlvain	D7/7
D. 194,309	1/1963	Levine	.	
D. 238,217	12/1975	Cox	D2/319
811,438	1/1906	Rhodes	.	
910,505	1/1909	Corcoran	.	
1,187,518	6/1916	Frost et al.	.	
1,411,200	3/1922	Zertuche	.	
1,938,617	12/1933	Augusta	36/7.5
2,095,766	1/1937	Shapiro	36/2.5
2,172,000	9/1939	Wenker	.	


Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—Lorusso & Loud

[57] CLAIM

The ornamental design for a shoe sole, as shown.

DESCRIPTION

FIG. 1 is a left side elevational view of a shoe sole showing my new design;
 FIG. 2 is a right side elevational view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a top plan view thereof; and,
 FIG. 6 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6