



US00D325327S

United States Patent [19]

[11] Patent Number: **Des. 325,327**

Tam et al.

[45] Date of Patent: **** Apr. 14, 1992**

[54] LADLE

[76] Inventors: **Raymond C. Y. Tam**, 1450 E. 30th Avenue, Vancouver, B.C., Canada, V5N 3A2; **Albert T. T. La**, 5957 Fleming Street, Vancouver, B.C., Canada, V5P 3G5

[**] Term: **14 Years**

[21] Appl. No.: **374,234**

[22] Filed: **Jun. 30, 1989**

[30] Foreign Application Priority Data

Jan. 9, 1989 [CA] Canada 09-01-89-22

[52] U.S. Cl. **D7/692; D7/667**

[58] Field of Search **D7/688-692, D7/667, 647; 30/324-328**

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 60,109 12/1921 Rosen D7/667
- D. 194,402 1/1963 Schlessel .
- 1,057,269 3/1913 Prestien .
- 1,677,120 6/1926 Rudin .
- 2,106,453 1/1938 Ekdahl D7/667 X

FOREIGN PATENT DOCUMENTS

- 520820 2/1921 France .
- 1426017 12/1965 France .
- 252798 4/1927 Italy .
- 285220 3/1931 Italy .
- 353806 10/1937 Italy .
- 393681 11/1974 Japan .

OTHER PUBLICATIONS

Ekco Housewares, p. 71, Handle of Pastry Brush #06640.

Columbian White Enamelledware Catalog, p. 6, Ladel #25, right column.

Primary Examiner—Terry A. Pfeffer
Attorney, Agent, or Firm—Merchant, Gould, Smith, Edell, Welter & Schmidt

[57] CLAIM

The ornamental design for a ladle, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a ladle showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof, the opposite side being a mirror image except for showing a smooth surface of the slotted lip;

FIG. 4 is a top plan view of an alternate embodiment of FIG. 1;


FIG. 5 is a front elevational view of FIG. 4;

FIG. 6 is a right side elevational view of FIG. 4, the opposite side being a mirror image except for showing a smooth surface on the slotted lip;

FIG. 7 is a top plan view of an alternate embodiment of FIG. 1;

FIG. 8 is a front elevational view of FIG. 7; and,

FIG. 9 is a right side elevational view of FIG. 7, the opposite side being a mirror image except for showing a smooth surface on the slotted lip.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 9




FIG. 8