



US00D325382S

United States Patent [19]

[11] Patent Number: **Des. 325,382**

Pepall

[45] Date of Patent: **** Apr. 14, 1992**

[54] **RADIO RECEIVER**

[75] Inventor: **Lynford S. Pepall, Chung Hom Kok, Hong Kong**

[73] Assignee: **U.S. Philips Corporation, New York, N.Y.**

[**] Term: **14 Years**

[21] Appl. No.: **526,800**

[22] Filed: **May 21, 1990**

[30] **Foreign Application Priority Data**

Feb. 1, 1990 [WO] World Int. Prop. O. DM/015.674

[52] U.S. Cl. **D14/194; D14/196**

[58] Field of Search **D14/124, 137, 163, 168, D14/171, 188-198, 265, 299; 455/344, 347, 350-351; D10/2**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 264,718 6/1982 Hoshino D14/171

D. 266,166 9/1982 Hamada et al. D14/171
D. 312,640 12/1990 Tanaguchi D14/196
D. 314,768 2/1991 Taniguchi D14/194



Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Jack E. Haken


[57] **CLAIM**

The ornamental design for a radio receiver, as shown and described.


DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a radio receiver showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational plan view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; and, FIG. 8 is a top, rear and left side perspective view thereof, showing with the handle in an extended position.







1



2




3




4




5



6



7



8