



US00D325552S

# United States Patent [19]

Stapleton et al.

[11] Patent Number: Des. 325,552

[45] Date of Patent: \*\* Apr. 21, 1992

[54] CROSSBAR SUPPORT FOR AN ARTICLE CARRIER

[75] Inventors: Craig A. Stapleton; Curtis J. Nordin; Mark C. Towns; Charles R. Schriner, all of Port Huron, Mich.

[73] Assignee: Huron/St. Clair Incorporated, Taylor, Mich.

[\*\*] Term: 14 Years

[21] Appl. No.: 384,932

[22] Filed: Jul. 24, 1989

[52] U.S. Cl. .... D12/157

[58] Field of Search ..... D12/157; 224/309, 321, 224/324-327

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 280,983	10/1985	Schinella	.....	D12/157
4,501,386	2/1985	Rasor et al.	.....	224/326
4,534,496	8/1985	Bott	.....	224/326
4,838,467	6/1989	Bott et al.	.....	224/325

### OTHER PUBLICATIONS

J. C. Whitney, Catalog No. 505 M, p. 145, Rear Deck Luggage Rack, lower left side of page.

Page from Dycrest Automotive catalog entitled "Aero-

dynamic, Sporty Style Roof and Deck Racks" printed July/88.

Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—Leon E. Redman; Malcolm L. Sutherland; Edgar A. Zarins

## [57] CLAIM

The ornamental design for a crossbar support for an article carrier, as shown and described.

## DESCRIPTION

FIG. 1 is a top rear perspective view of a crossbar support for an article carrier on the rear deck of an automobile showing our new design;

FIG. 2 is an enlarged top plan view thereof;

FIG. 3 is an enlarged left side elevation view thereof;


FIG. 4 is an enlarged front elevation view thereof;

FIG. 5 is an enlarged right side elevation view thereof, and,

FIG. 6 is an enlarged rear elevation view thereof.

The broken lines are for illustrative purposes only and form no part of the claimed design.

The characteristic feature of our design is the curvaceous configuration of the opening in the crossbar support which configuration varies substantially in shape and size from its outside surface to its inside surface.






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.