



US00D325570S

United States Patent [19]

[11] Patent Number: **Des. 325,570**

Jones

[45] Date of Patent: **** Apr. 21, 1992**

[54] TRANSMITTER FOR A SAFETY ALARM

D. 307,012	4/1990	Berkheij	D14/191
D. 310,063	8/1990	Cheng	D13/168
D. 311,349	10/1990	Walsh	D10/106

[76] Inventor: **Matthew A. Jones, Rte. 1, Box 42, Don Gola, Ill. 62926**

[**] Term: **14 Years**

Primary Examiner—Melvin B. Feifer
Assistant Examiner—P. Hyder
Attorney, Agent, or Firm—Terry M. Gernstein

[21] Appl. No.: **155,751**

[22] Filed: **Feb. 16, 1988**

[57] **CLAIM**

[52] U.S. Cl. **D14/155; D10/121**

The ornamental design for a transmitter for a safety alarm, as shown and described.

[58] Field of Search **D10/106, 121; D14/155, D14/188, 191, 192; 340/311.1; 455/39, 92, 100, 128, 351**


DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 231,753	6/1974	Fujiwara	D14/188
D. 272,534	2/1984	Wong et al.	D14/191
D. 302,157	7/1989	Vories	D14/188
D. 303,223	9/1989	Issa	D14/155
D. 303,969	10/1989	Scheid et al.	D14/191

FIG. 1 is a perspective view of a transmitter for a safety alarm showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof; and,
FIG. 6 is a right side elevational view thereof, the left side view being the mirror image of the right side view.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6