



US00D325598S

United States Patent [19]

[11] Patent Number: **Des. 325,598**

Fukuda

[45] Date of Patent: **** Apr. 21, 1992**

[54] **PRINTER**

D. 308,695 6/1990 Eto et al. D18/13
D. 317,420 6/1991 Kosako et al. D18/13

[75] Inventor: **Kouki Fukuda, Osaka, Japan**

FOREIGN PATENT DOCUMENTS

[73] Assignee: **Sharp Corporation, Osaka, Japan**

694446 12/1986 Japan D18/13

[**] Term: **14 Years**

Primary Examiner—A. Hugo Word
Assistant Examiner—CathyAnne MacCormac
Attorney, Agent, or Firm—Flehr, Hohbach, Test,
Albritton & Herbert

[21] Appl. No.: **584,181**

[22] Filed: **Sep. 18, 1990**

[30] Foreign Application Priority Data

Mar. 30, 1990 [JP] Japan 2-11206

[52] U.S. Cl. **D18/55**

[58] Field of Search D18/13, 36-39;
D14/106, 111; 400/126, 613, 691-694,
613.1-613.4; 101/9, 130, 420

[57] CLAIM

The ornamental design for a printer, as shown and described.


[56] References Cited

U.S. PATENT DOCUMENTS

D. 281,256 11/1985 Yamamoto D18/37
D. 291,095 7/1987 Morozumi et al. D18/13
D. 308,219 5/1990 Yoshida D18/13
D. 308,694 6/1990 Hikawa D18/13

DESCRIPTION

FIG. 1 is a perspective view of a printer showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a left side elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7