



US00D325688S

United States Patent [19]

[11] Patent Number: **Des. 325,688**

Schreib

[45] Date of Patent: **** Apr. 28, 1992**

[54] **COMBINED HOOK AND PUSHER POLE**

[76] Inventor: **Randall C. Schreib**, 3921 S. 322nd St., Auburn, Wash. 98001

[**] Term: **14 Years**

[21] Appl. No.: **280,512**

[22] Filed: **Dec. 5, 1988**

[52] U.S. Cl. **D8/14; D8/16; D8/57; D8/71; D8/88; D6/541; 294/104**

[58] Field of Search **D8/14, 347, 348; D24/10, 11; 433/144, 147; 294/50.9, 19.1, 104, 278; D6/541**

3,059,954	10/1962	Matejcek	294/104	X
3,282,620	11/1966	Antoine	D8/14	X
4,040,287	8/1977	Wivinis	D8/14	X
4,226,457	10/1980	Shutt	D8/14	X
4,571,809	2/1986	Rossow	D8/14	X

Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Monica A. Hannon
Attorney, Agent, or Firm—Glenn D. Bellamy

[56] **References Cited**

U.S. PATENT DOCUMENTS


D. 110,462	7/1938	Ellicott, Jr.	D8/14
D. 235,189	5/1975	Tachi	D8/347
D. 300,713	4/1989	Trapasso	D8/14 X
1,257,609	2/1918	Johnson	D6/541 X
1,472,349	10/1923	Winchler	29/278 X
1,692,213	11/1928	Kielberg	D6/541 X

[57] **CLAIM**

The ornamental design for combined hook and pusher pole, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a combined hook and pusher pole showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a rear elevational view; and,
FIG. 7 is a front elevational view thereof.








Fig. 4




Fig. 5



Fig. 6



Fig. 7