



US00D325715S

United States Patent [19]

[11] Patent Number: **Des. 325,715**

Hoernig et al.

[45] Date of Patent: **** Apr. 28, 1992**

[54] **AUTOMOBILE BODY**

[75] Inventors: **Rudolf Hoernig, Bernhard; Bruno Sacco; Joseph Gallitzendoerfer**, both of Sindelfingen, all of Fed. Rep. of Germany

[73] Assignee: **Daimler-Benz Aktiengesellschaft**

[**] Term: **14 Years**

[21] Appl. No.: **235,187**

[22] Filed: **Aug. 23, 1988**

[30] **Foreign Application Priority Data**

Feb. 23, 1988 [DE] Fed. Rep. of Germany MR6404
[52] U.S. Cl. **D12/92**
[58] Field of Search D12/91, 92; 296/185

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 284,644 7/1986 Breitschwerdt et al. D12/92

OTHER PUBLICATIONS

Motor Trend, Apr. 1985, pp. 72 & 74, Mercedes-Benz 300E Automobile, bottom of page.

Road & Track, Jun. 1987, p. 154, Mercedes-Benz 230 CE & 300 CE Coupes, bottom of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Evenson, Wands, Edwards, Lenahan & McKeown

[57] **CLAIM**


The ornamental design for an automobile body, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile body showing our new design; FIG. 2 is a side elevational view thereof, the opposite side being a mirror image of that shown; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; and, FIG. 5 is a top plan view thereof.

The characteristic features of our design reside in the upper contour of the front headlights extending in a considerably curved manner into the border area to the radiator grill and the lower height in proportion to its width of the radiator grill.

The broken line showing of the tires and wheels is for illustrative purposes only and forms no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5