



US00D325727S

United States Patent [19]

Murata et al.

[11] Patent Number: Des. 325,727

[45] Date of Patent: ** Apr. 28, 1992

[54] COMBINED CIRCUIT BREAKER AND
CURRENT LIMITING ATTACHMENT

4,965,544 10/1990 Kelaita, Jr. et al. 335/202

[75] Inventors: Shiro Murata; Shinji Yamagata, both
of Fukuyama, Japan

[73] Assignee: Mitsubishi Denki Kabushiki Kaisha,
Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 609,212

[22] Filed: Nov. 5, 1990

[52] U.S. Cl. D13/160

[58] Field of Search D13/160; 361/115, 103;
335/202, 132, 17, 205

OTHER PUBLICATIONS

Circuit Breaker on p. 5 of Square D brochure SD231,
Sep. 1985.

Primary Examiner—Susan J. Lucas

Assistant Examiner—J. Sincavage

Attorney, Agent, or Firm—Burns, Doane, Swecker &
Mathis

[57] CLAIM

The ornamental design for a combined circuit breaker
and current limiting attachment, as shown and de-
scribed.

DESCRIPTION

FIG. 1 is a front and upper right perspective view of a
combined circuit breaker and current limiting attach-
ment showing our new design;

FIG. 2 is a rear and upper left perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a right side elevational view thereof; and,

FIG. 8 is a left side elevational view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 310,822	9/1990	Danek	D13/160
D. 318,460	7/1991	Heath et al.	D13/160
D. 319,627	9/1991	Smith et al.	D13/160
4,292,920	5/1990	Meiners et al.	335/202
4,786,885	11/1988	Morris et al.	335/202
4,794,356	12/1988	Yu et al.	361/115 X
4,858,056	8/1989	Russell	361/42 X
4,945,327	7/1990	Doughty et al.	335/147 X




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

