



US00D325734S

# United States Patent [19]

[11] Patent Number: Des. 325,734

Miyai

[45] Date of Patent: \*\* Apr. 28, 1992

[54] **RADIO RECEIVER**

[75] Inventor: **Hiroyuki Miyai**, Osaka, Japan

[73] Assignee: **Sanyo Electric Co., Ltd.**, Osaka, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **493,095**

[22] Filed: **Mar. 13, 1990**

[30] **Foreign Application Priority Data**

Sep. 14, 1989 [JP] Japan ..... 1-33766

[52] U.S. Cl. .... **D14/189; D14/188**

[58] Field of Search ..... **D14/124, 137, 163, 168, D14/171, 188-198, 265, 299; 455/344, 347, 350-351**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 229,973 1/1974 Houlihan ..... D14/188

D. 238,892 1/1976 Buckler et al. .... D14/197

D. 258,068 1/1981 Ostrom ..... D14/197 X  
D. 300,322 3/1989 Lam ..... D14/189  
D. 304,944 12/1989 Behringer ..... D14/188

**OTHER PUBLICATIONS**

Japanese Newspaper Article/Advertisement, May 24, 1989.

*Primary Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Darby & Darby

[57] **CLAIM**

The ornamental design for a radio receiver, as shown.

**DESCRIPTION**

FIG. 1 is a top, front and right side perspective view of a radio receiver showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

