



US00D325734S

United States Patent [19]

[11] Patent Number: Des. 325,734

Miyai

[45] Date of Patent: ** Apr. 28, 1992

[54] RADIO RECEIVER

[75] Inventor: Hiroyuki Miyai, Osaka, Japan

[73] Assignee: Sanyo Electric Co., Ltd., Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 493,095

[22] Filed: Mar. 13, 1990

[30] Foreign Application Priority Data

Sep. 14, 1989 [JP] Japan 1-33766

[52] U.S. Cl. D14/189; D14/188

[58] Field of Search D14/124, 137, 163, 168, D14/171, 188-198, 265, 299; 455/344, 347, 350-351

[56] References Cited

U.S. PATENT DOCUMENTS

D. 229,973 1/1974 Houlihan D14/188

D. 238,892 1/1976 Buckler et al. D14/197

D. 258,068 1/1981 Ostrom D14/197 X
D. 300,322 3/1989 Lam D14/189
D. 304,944 12/1989 Behringer D14/188

OTHER PUBLICATIONS

Japanese Newspaper Article/Advertisement, May 24, 1989.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Darby & Darby

[57] CLAIM

The ornamental design for a radio receiver, as shown.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a radio receiver showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

