



US00D325744S

United States Patent [19]

[11] Patent Number: **Des. 325,744**

Tokuda

[45] Date of Patent: **** Apr. 28, 1992**

[54] **LASER BEAM PRINTER**
 [75] Inventor: **Hiroyuki Tokuda, Yokohama, Japan**
 [73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

D. 280,723 9/1985 Nishida et al. D14/111
 D. 284,006 5/1986 Freijd D14/111
 D. 288,568 3/1987 Hara et al. D14/111
 305,774 1/1990 Yomo D18/13
 306,744 3/1990 Yomo D18/13
 307,764 5/1990 Kojima D18/13

[**] Term: **14 Years**

Primary Examiner—A. Hugo Word
Assistant Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[21] Appl. No.: **550,349**

[22] Filed: **Jul. 9, 1990**

[30] **Foreign Application Priority Data**

Jan. 11, 1990 [JP] Japan 2-667
 [52] U.S. Cl. **D18/55**
 [58] Field of Search D18/13, 34; 400/613,
 400/613.1-613.4, 691-694, 624; D14/111;
 101/9, 18, 21, 28-29, 41-42, 130, 287, 316

[57] **CLAIM**

The ornamental design for a laser beam printer, as shown and described.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 263,142 2/1982 Nishi et al. D14/111
 D. 270,250 8/1983 Tennant et al. D14/111
 D. 279,783 7/1985 Jordan et al. D14/111

DESCRIPTION

FIG. 1 is a front elevational view of a laser beam printer showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a right side elevational view thereof; and,
 FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

