



US00D325857S

United States Patent [19]

Hasegawa et al.

[11] Patent Number: **Des. 325,857**

[45] Date of Patent: **** May 5, 1992**

[54] **SCREW DRIVER**

[75] Inventors: **Hideaki Hasegawa; Fumio Tashimo,**
both of Katsuta; **Shigehisa Hagura;**
Kazuyuki Tuburaya, both of Tokyo,
all of Japan

[73] Assignee: **Hitachi Koki Company, Limited,**
Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **355,244**

[22] Filed: **May 19, 1989**

[30] **Foreign Application Priority Data**

Jun. 10, 1988 [JP] Japan 63-23153

[52] U.S. Cl. **D8/61**

[58] Field of Search D8/61, 68, 63; 173/163,
173/170; 81/44, 54, 57, 57.11, 57.13, 57.14, 475

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 215,998 11/1969 Humphrey et al. D8/61

D. 238,970 2/1976 Baum D8/68
D. 301,496 6/1989 Yonesawa et al. D8/68

OTHER PUBLICATIONS

Hardware Age Cat. dated Aug.-1983 p. 110 glue gun.

Primary Examiner—Nelson C. Holtje
Assistant Examiner—J. H. Musgrove
Attorney, Agent, or Firm—Lowe, Price, LeBlanc &
Becker

[57] **CLAIM**

The ornamental design for a screw driver, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right-side perspective view of a screw driver showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; and, FIG. 6 is a right side elevational view of the opposite side being a mirror image thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

