



US00D326037S

United States Patent [19]

Murayama

[11] Patent Number: Des. 326,037
[45] Date of Patent: ** May 12, 1992

[54] ADJUSTABLE WRENCH

[75] Inventor: Yasusuke Murayama, Sanjo, Japan

[73] Assignee: Top Kogyo Co., Ltd., Sanjo, Japan

[*] Notice: The portion of the term of this patent subsequent to May 12, 2006 has been disclaimed.

[**] Term: 14 Years

[21] Appl. No.: 318,351

[22] Filed: Mar. 1, 1989

[30] Foreign Application Priority Data

Dec. 27, 1988 [JP] Japan 68-50926

[52] U.S. Cl. D8/22

[58] Field of Search D8/21, 22, 23, 24, 25,
D8/26, 27, 28, 29; 81/119, 170, 186, 166

[56] References Cited

U.S. PATENT DOCUMENTS

D. 292,062 9/1987 Doman et al. D8/22
D. 292,666 11/1987 Jansson et al. D8/22
2,791,143 5/1957 Rossi et al. 81/165
3,012,457 12/1961 Powell et al. 81/186

4,446,764 5/1984 Sievers 81/170
4,548,104 10/1985 Hendricks 81/170

FOREIGN PATENT DOCUMENTS

37492 2/1988 Sweden .

OTHER PUBLICATIONS

Sporty's Tools Cat., 1984, p. 50, Thin Bent Nose Pliers.

Primary Examiner—Bernard Ansher

Assistant Examiner—Philip Hyder

Attorney, Agent, or Firm—Spencer, Frank & Schneider

[57] CLAIM

The ornamental design for an adjustable wrench, as shown.

DESCRIPTION

FIG. 1 is a perspective view of an adjustable wrench showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a left side elevational view of FIG. 2;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view of FIG. 2; and,

FIG. 7 is a rear elevational view thereof.




FIG. 1




FIG. 3




FIG. 2




FIG. 4



FIG. 5




FIG. 7




FIG. 6

