



US00D326037S

# United States Patent [19]

Murayama

[11] Patent Number: **Des. 326,037**

[45] Date of Patent: **\*\* May 12, 1992**

[54] **ADJUSTABLE WRENCH**

[75] Inventor: **Yasusuke Murayama, Sanjo, Japan**

[73] Assignee: **Top Kogyo Co., Ltd., Sanjo, Japan**

[\*] Notice: The portion of the term of this patent subsequent to May 12, 2006 has been disclaimed.

[\*\*] Term: **14 Years**

[21] Appl. No.: **318,351**

[22] Filed: **Mar. 1, 1989**

[30] **Foreign Application Priority Data**

Dec. 27, 1988 [JP] Japan ..... 68-50926

[52] U.S. Cl. .... **D8/22**

[58] Field of Search ..... D8/21, 22, 23, 24, 25, D8/26, 27, 28, 29; 81/119, 170, 186, 166

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 292,062 9/1987 Doman et al. .... D8/22
- D. 292,666 11/1987 Jansson et al. .... D8/22
- 2,791,143 5/1957 Rossi et al. .... 81/165
- 3,012,457 12/1961 Powell et al. .... 81/186

- 4,446,764 5/1984 Sievers ..... 81/170
- 4,548,104 10/1985 Hendricks ..... 81/170

**FOREIGN PATENT DOCUMENTS**

37492 2/1988 Sweden .

**OTHER PUBLICATIONS**

Sporty's Tools Cat., 1984, p. 50, Thin Bent Nose Pliers.

*Primary Examiner*—Bernard Ansher

*Assistant Examiner*—Philip Hyder

*Attorney, Agent, or Firm*—Spencer, Frank & Schneider

[57] **CLAIM**

The ornamental design for an adjustable wrench, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of an adjustable wrench showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a left side elevational view of FIG. 2;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view of FIG. 2; and,

FIG. 7 is a rear elevational view thereof.




FIG. 1




FIG. 3




FIG. 2




FIG. 4






FIG. 5




FIG. 7




FIG. 6

