



US00D326225S

United States Patent [19]**Beckerman et al.**[11] **Patent Number: Des. 326,225**[45] **Date of Patent: ** May 19, 1992**[54] **BOX**

[75] **Inventors:** Kenneth Beckerman; Alan Beckerman; Beth A. Brady, all of Allegheny County; Kenneth Kocinski, Beaver County; Michael Leusch, Allegheny County, all of Pa.

[73] **Assignee:** Package Products, Inc., Pittsburgh, Pa.

[**] **Term:** 14 Years

[21] **Appl. No.:** 490,943

[22] **Filed:** Mar. 8, 1990

[52] **U.S. Cl.** D9/418; D9/432; D9/416

[58] **Field of Search** D9/418, 432, 433, 415, D9/337, 341; 206/45.31, 45.34, 256; 229/162; 493/905

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 57,337	3/1921	Heimerdinger	D9/418
D. 86,129	2/1932	Levkoff	.	
D. 92,563	6/1934	Sickel	D9/418
D. 305,205	12/1989	Grindrod et al.	D9/418
1,831,920	11/1931	Marsh	.	
2,013,227	9/1935	Wilson	.	
2,113,288	4/1938	Berger	.	
2,170,906	8/1939	Mertz	.	
2,575,452	11/1951	Klein	.	
2,921,673	1/1960	Ryan	.	
2,944,727	1/1960	Moore	.	
3,690,523	9/1972	Link	.	
4,113,086	9/1978	Forbes, Jr.	206/45.31 X
4,117,924	10/1978	Growney	.	
4,139,121	2/1979	Roccaforte	256/45.31 X
4,424,897	1/1984	Ondris et al.	.	
5,060,852	10/1991	Beckerman et al.	206/45.31 X

Primary Examiner—Bernard Ansher

Assistant Examiner—Prabhakar Deshmukh
Attorney, Agent, or Firm—Arnold B. Silverman

[57] **CLAIM**

The ornamental design for a box, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a box showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevation thereof;

FIG. 4 is a right side elevation thereof;

FIG. 5 is a left side elevation thereof;

FIG. 6 is a rear elevation thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view of a second embodiment of FIG. 1;

FIG. 9 is a top plan view of FIG. 8;

FIG. 10 is a front elevation of FIG. 8;

FIG. 11 is a right side elevation of FIG. 8;

FIG. 12 is a left side elevation of FIG. 8;

FIG. 13 is a rear elevation of FIG. 8;

FIG. 14 is a perspective view of a third embodiment of FIG. 1;

FIG. 15 is a top plan view of FIG. 14;

FIG. 16 is a rear elevation of FIG. 14;

FIG. 17 is a right side elevation of FIG. 14;

FIG. 18 is a left side elevation of FIG. 14;

FIG. 19 is a front elevation of FIG. 14;

FIG. 20 is perspective view of a fourth embodiment of FIG. 1;

FIG. 21 is a top plan view of FIG. 20;


FIG. 22 is a front elevation of FIG. 20;

FIG. 23 is a right side elevation of FIG. 20;

FIG. 24 is a left side elevation of FIG. 20; and,

FIG. 25 is a rear elevation of FIG. 20.

The bottom of FIGS. 8, 14 and 20 embodiments is same as shown in FIG. 7. The broken lines represent the fold lines.






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 9




FIG. 8



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 18




FIG. 17




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 24




FIG. 23




FIG. 25