



US00D326239S

United States Patent [19]

[11] Patent Number: **Des. 326,239**

Hatano

[45] Date of Patent: **** May 19, 1992**

[54] **CLOCK MOVEMENT**

[76] Inventor: **Katsuhiro Hatano**, 1-1, Taihei
4-chome, Sumida-ku, Tokyo, Japan

4,175,374	11/1979	Yoshizawa	368/300
4,316,277	2/1982	Endo	368/88 X
4,464,062	8/1984	Inage	368/220
4,465,378	8/1984	Maurer	368/88

[**] Term: **14 Years**

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[21] Appl. No.: **484,618**

[22] Filed: **Feb. 23, 1990**

[57] CLAIM

[52] U.S. Cl. **D10/129**

The ornamental design for a clock movement, as shown and described.

[58] Field of Search **D10/1-40,**
D10/122-132; 368/88, 220, 300


DESCRIPTION

[56] References Cited

FIG. 1 is a front elevational view of a clock showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a front right perspective view thereof; and,
FIG. 8 is a rear right perspective view thereof.

U.S. PATENT DOCUMENTS

D. 303,226	9/1989	Moritaka	D10/129
D. 303,227	9/1989	Hayakawa	D10/129
D. 303,228	9/1989	Ikeda	D10/129
D. 311,353	10/1990	Suzuki	D10/129
D. 318,027	7/1991	Moritaka	D10/129
3,472,020	10/1969	Jackie	368/164
3,583,148	6/1971	Wulber	368/276 X






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8