



US00D326296S

United States Patent [19]
Hillman

[11] **Patent Number:** **Des. 326,296**
[45] **Date of Patent:** **** May 19, 1992**

[54] **MODEL RAILROAD TRACK CLAMP**

[76] **Inventor:** **Richard K. Hillman**, 942 Lakehome Dr., Lodi, Calif. 95242

[**] **Term:** **14 Years**

[21] **Appl. No.:** **563,546**

[22] **Filed:** **Aug. 6, 1990**

[52] **U.S. Cl.** **D21/143**

[58] **Field of Search** **D21/108, 143, 129;**
D8/72, 73, 394; 446/446, 447; 238/10 E, 10 F,
10 R

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 152,131 12/1948 Wright D8/72
204,007 5/1878 Condict, Jr. 238/10 R
D. 318,409 7/1991 Garrett D8/72
1,805,421 5/1931 Shahan 238/10 R
1,838,509 12/1931 Westcott 238/10 E
2,024,306 12/1935 Rorrer 238/10 R
2,035,085 3/1936 Maynard 238/10 E

3,734,404 5/1973 Baynes 238/10 E

Primary Examiner—Bernard Ansher

Assistant Examiner—R. Barkai

Attorney, Agent, or Firm—Basil Travis

[57] **CLAIM**

The ornamental design for a model railroad track clamp, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a model railroad track clamp showing my new design, the broken line showing of the model railroad tracks and the top rear perspective of the model railroad clamp is for illustrative purposes only and forms no part of the claimed design;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view thereof; and,

FIG. 7 is a left elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7