



US00D326596S

United States Patent [19]

[11] Patent Number: **Des. 326,596**

Trombetta

[45] Date of Patent: **** Jun. 2, 1992**

[54] **ELECTRICIAN'S COMPOUND TOOL**

4,028,756	6/1977	Couto	7/5.5
4,225,990	10/1980	Theiler, Sr.	7/107
4,244,067	1/1981	Rowe	7/107
4,625,596	12/1986	Makus	81/9.44

[76] Inventor: **Thomas L. Trombetta**, 3943 Roselle Ave., Modesta, Calif. 95355

[**] Term: **14 Years**

Primary Examiner—Theodore M. Shooman
Assistant Examiner—Philip Hyder
Attorney, Agent, or Firm—Shlesinger, Arkwright & Garvey

[21] Appl. No.: **470,546**

[22] Filed: **Jan. 26, 1990**

[52] U.S. Cl. **D8/55**

[58] Field of Search D8/105, 52, 55; 7/107, 7/108, 125, 129, 130, 132, 137

[57] CLAIM

The ornamental design for an electrician's compound tool, as shown.


[56] References Cited



U.S. PATENT DOCUMENTS

D. 274,032	5/1984	Lai	D8/105
1,293,966	2/1919	Springer	7/137
1,344,114	6/1920	Carlson	7/137
1,572,898	2/1926	Martin	
1,675,476	7/1928	West	7/137
1,939,574	12/1933	Saylor	81/9.5
2,462,250	2/1949	Andrews	254/28
3,447,172	6/1969	Clark	7/5.2
3,525,107	8/1970	Hays	7/5.3
3,733,626	5/1976	Allen	7/5.3
3,798,687	3/1974	Stevens	D8/105
3,947,905	4/1976	Neff	7/5.6

DESCRIPTION

FIG. 1 is a top plan view of an electrician's compound tool, showing my new design;
 FIG. 2 is a bottom plan view thereof;
 FIG. 3 is a front elevational view of FIG. 1;
 FIG. 4 is a rear elevational view of FIG. 1;
 FIG. 5 is a left side elevational view of FIG. 1;
 FIG. 6 is a left side elevational view of FIG. 2;
 FIG. 7 is a cross-sectional view taken along line 7—7 of FIG. 1;
 FIG. 8 is a cross-sectional view taken along line 8—8 of FIG. 1; and,
 FIG. 9 is a fragmentary cross-sectional view taken along line 9—9 of FIG. 1.








FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8



FIG. 9