



US00D326655S

# United States Patent [19]

[11] Patent Number: **Des. 326,655**

Iribe

[45] Date of Patent: **\*\* Jun. 2, 1992**

[54] RADIO RECEIVER

[56] References Citcd

[75] Inventor: **Toshio Iribe**, Yokohama, Japan

### U.S. PATENT DOCUMENTS

- D. 314,964 2/1991 Chung ..... D14/192
- D. 316,550 4/1991 Sogabe ..... D14/192 X
- D. 318,670 7/1991 Taniguchi ..... D14/205
- D. 321,879 11/1991 Emmerling ..... D14/192

[73] Assignee: **Sony Corporation**, Tokyo, Japan

*Primary Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Lewis H. Eslinger; Jay H. Maioli

[\*\*] Term: **14 Years**

[21] Appl. No.: **533,667**

### [57] CLAIM

The ornamental design for a radio receiver, as shown.


[22] Filed: **Jun. 5, 1990**


### DESCRIPTION

### [30] Foreign Application Priority Data

- Dec. 12, 1989 [JP] Japan ..... 1-45103
- [52] U.S. Cl. .... **D14/192; D14/205**
- [58] Field of Search ..... **D14/124, 137, 163, 168, D14/171, 188-198, 265, 299, 205, 206, 223; 455/344, 347, 350-351**



FIG. 1 is a top, right hand perspective view of an radio receiver, showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left-side elevational view thereof;  
FIG. 5 is a right-side elevational view thereof;  
FIG. 6 is a top, plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.





*FIG. 1*

*FIG. 4*



*FIG. 5*




FIG. 2




FIG. 3

