



US00D326655S

United States Patent [19]

[11] Patent Number: **Des. 326,655**

Iribe

[45] Date of Patent: **** Jun. 2, 1992**

[54] RADIO RECEIVER

[56] References Citcd

[75] Inventor: **Toshio Iribe, Yokohama, Japan**

U.S. PATENT DOCUMENTS

[73] Assignee: **Sony Corporation, Tokyo, Japan**

- D. 314,964 2/1991 Chung D14/192
- D. 316,550 4/1991 Sogabe D14/192 X
- D. 318,670 7/1991 Taniguchi D14/205
- D. 321,879 11/1991 Emmerling D14/192

[**] Term: **14 Years**

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H. Maioli

[21] Appl. No.: **533,667**

[57] CLAIM

The ornamental design for a radio receiver, as shown.


[22] Filed: **Jun. 5, 1990**

DESCRIPTION

[30] Foreign Application Priority Data

- Dec. 12, 1989 [JP] Japan 1-45103
- [52] U.S. Cl. D14/192; D14/205
- [58] Field of Search D14/124, 137, 163, 168,
D14/171, 188-198, 265, 299, 205, 206, 223;
455/344, 347, 350-351

FIG. 1 is a top, right hand perspective view of an radio receiver, showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a left-side elevational view thereof;
 FIG. 5 is a right-side elevational view thereof;
 FIG. 6 is a top, plan view thereof; and,
 FIG. 7 is a bottom plan view thereof.






FIG. 1

FIG. 4





FIG. 5






FIG. 2




FIG. 3

