



US00D326688S

United States Patent [19]

[11] Patent Number: **Des. 326,688**

Maurer

[45] Date of Patent: **** Jun. 2, 1992**

- [54] SET OF BUILDING ELEMENTS
- [76] Inventor: **György Maurer, Orség u.12., 1112-Budapest, Hungary**
- [**] Term: **14 Years**
- [21] Appl. No.: **440,012**
- [22] Filed: **Nov. 21, 1989**
- [52] U.S. Cl. **D21/108**
- [58] Field of Search **D21/108, 109, 114, 115; 446/108, 109, 112, 114, 122, 124; D8/399; D9/433; D19/3; D23/269**

[56] **References Cited**
U.S. PATENT DOCUMENTS

D. 308,895	6/1990	Staffon	D21/108
1,240,807	9/1917	Angus et al.	446/108
2,027,885	1/1936	Schwarzbach	D21/108
2,031,194	2/1936	Thompson	446/108
2,278,327	3/1942	Magnus et al.	446/112
2,844,910	7/1958	Korchak	D21/108
3,199,246	8/1965	Fischer	D21/108
3,701,214	10/1972	Sakamoto	D21/108
3,819,188	6/1974	Freedman	D21/108
4,874,341	10/1989	Ziegler	446/109

FOREIGN PATENT DOCUMENTS

893964	12/1944	France	446/108
443055	2/1936	United Kingdom	446/109

OTHER PUBLICATIONS

- Seastrom Cat., 1979, 13, Solid State Insulator 5220.
- Seastrom Cat., 1979, 9-1, Basic Configurations, FIG. 12.
- Seastrom Cat., 1979, 6-5, Single External Tab Washer.
- Seastrom Cat., 1979, 6-6, Multiple External Tab Washer.

Sears Cat., 1978 & 1990, p. 114, 4-Way Pocket Screw-driver.


Primary Examiner—Bernard Ansher
Assistant Examiner—Philip S. Hyder
Attorney, Agent, or Firm—Schweitzer Cornman & Gross

[57] **CLAIM**

The ornamental design for a set of building elements, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of one element of a set of building elements showing my new design;
 FIG. 2 is a top plan view of FIG. 1;
 FIG. 3 is a top plan view of the second embodiment of the set;
 FIG. 4 is a top plan view of the third element of the set;
 FIG. 5 is a top plan view of the fourth element of the set;
 FIG. 6 is a top plan view of the fifth element of the set;
 FIG. 7 is a top plan view of the sixth element of the set;
 FIG. 8 is a top plan view of the seventh element of the set;
 FIG. 9 is a top plan view of the eighth element of the set;
 FIG. 10 is a top plan view of the ninth element of the set;
 FIG. 11 is a top plan view of the tenth element of the set;
 FIG. 12 is a top plan view of the eleventh element of the set;
 FIG. 13 is a top plan view of the twelfth element of the set; and,
 FIG. 14 is a top plan view of the thirteenth element of the set.
 The side views of elements two through thirteen are the same thickness as shown in FIG. 1.






Fig.1

Fig.2




Fig. 3




Fig.4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9



Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14