



US00D326762S

United States Patent [19]

[11] Patent Number: **Des. 326,762**

Kiyosawa

[45] Date of Patent: **** Jun. 9, 1992**

[54] **HEEL PROTECTION MEMBER**

[75] Inventor: **Junichi Kiyosawa, Kobe, Japan**

[73] Assignee: **Asics Corporation, Hyogo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **515,152**

[22] Filed: **Apr. 18, 1990**

[30] **Foreign Application Priority Data**

Oct. 20, 1989 [JP] Japan 1-38452

[52] U.S. Cl. **D2/277; D2/314**

[58] Field of Search **D2/264, 265, 271-277, D2/308-314, 317-321; 36/45, 1.5, 83, 89, 114, 70 R, 72 R, 72 B, 73, 132, 136**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 109,345 4/1938 Stewart D2/314

D. 192,208 2/1962 Bradley et al. D2/277

Primary Examiner—Louis S. Zarfes

Attorney, Agent, or Firm—Nixon & Vanderhuy

[57] **CLAIM**

The ornamental design for a heel protection member, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of a heel protection member showing my new design in a position of use; FIG. 2 is a left side elevational view of the member alone;

FIG. 3 is a top plan view thereof;

FIG. 4 is a right side elevational view;

FIG. 5 is a bottom plan view;

FIG. 6 is a rear elevational view thereof inverted;

FIG. 7 is a front elevational view;

FIG. 8 is a left side elevational view in another position of use;

FIG. 9 is a top perspective view; and,

FIG. 10 is a bottom perspective view.

The broken line showing of a shoe upper and/or sole in FIGS. 1 and 8-10 is for illustrative purposes only and forms no part of the claimed design.




Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10

