



US00D326815S

United States Patent [19]

[11] Patent Number: **Des. 326,815**

Meisner et al.

[45] Date of Patent: **** Jun. 9, 1992**

[54] **PORTABLE STORAGE CONTAINER**

[75] Inventors: **Edward Meisner**, Short Hills;
Michael P. Ballone, New Providence; **Young Park**, Palisades Park, all of N.J.

[73] Assignee: **Waterloo Industries, Inc.**, Waterloo, Iowa

[**] Term: **14 Years**

[21] Appl. No.: **516,827**

[22] Filed: **Apr. 27, 1990**

[52] U.S. Cl. **D9/424**

[58] Field of Search **D9/341, 424, 414, 423, D9/431; D34/40-46; 206/499, 510, 501, 514, 519, 505, 506, 372, 373; 312/DIG. 33; 220/23.6, 23.8, 23.83, 318, 324, 210; D3/74, 78**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 216,757	3/1970	Di Pierro	D34/44
D. 262,839	2/1982	Daenen et al.	D3/74
D. 264,896	6/1982	Perkins	D3/74
D. 309,519	7/1990	Remler	D34/46
D. 318,568	7/1991	Hakansson	D3/74
D. 319,074	8/1991	Robinson	D3/74 X
2,941,637	6/1960	Silverman	292/DIG. 30 X
2,983,402	5/1961	Gottsegen	292/DIG. 30 X
3,155,270	11/1964	Taft	292/113 X
3,392,874	7/1968	Peebles	206/514
3,463,353	8/1969	Peebles	206/514
3,586,205	6/1971	Van Daalen	206/506 X
3,606,511	9/1971	Henning et al.	206/315.11 X

3,628,843	12/1971	Wynne et al.	206/372 X
4,029,209	6/1977	Frahm et al.	206/510
4,353,182	10/1982	Junkas et al.	206/315.11 X
4,366,998	1/1983	Kaiser	312/DIG. 33 X
4,416,372	11/1983	Polk	206/372
4,460,085	7/1984	Jantzen	206/373 X
4,550,828	11/1985	Baldwin et al.	206/372 X
4,619,363	10/1986	Wolfseder	206/373
4,662,515	5/1987	Newby, Sr.	312/DIG. 33 X
4,674,665	6/1987	Van Kirk	312/DIG. 33 X
4,714,158	12/1987	Ottman et al.	312/DIG. 33 X
4,895,256	1/1990	Johnson	206/501
5,011,013	4/1991	Meisner et al.	206/373
5,040,681	8/1991	Grosin	220/23.6 X


Primary Examiner—Bernard Ansher
Assistant Examiner—Prabhakar Deshmukh
Attorney, Agent, or Firm—Watov & Kipnes

[57] **CLAIM**

The ornamental design for a portable storage container, as shown and disclosed.

DESCRIPTION

FIG. 1 is a perspective view of a portable storage container showing our new design;
FIG. 2 is a front elevational view thereof; the rear elevational view being a mirror image thereof;
FIG. 3 is a top plan view thereof; with lid and latch removed for clarity of illustration;
FIG. 4 is a top plan view of a lid thereof;
FIG. 5 is a front elevational view of FIG. 4; the rear elevational view being a mirror image thereof;
FIG. 6 is a bottom plan view of FIG. 4;
FIG. 7 is a left side elevational view of FIG. 4; and,
FIG. 8 is a bottom plan view of FIG. 1.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8