



US00D326863S

United States Patent [19]

[11] Patent Number: **Des. 326,863**

Ito et al.

[45] Date of Patent: **** Jun. 9, 1992**

[54] CAMERA

[75] Inventors: **Hitomi Ito; Chikara Aoshima**, both of Kawasaki, Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **449,738**

[22] Filed: **Dec. 13, 1989**

[30] Foreign Application Priority Data

Jun. 16, 1989 [JP] Japan 1-22259

[52] U.S. Cl. **D16/209**

[58] Field of Search D16/200, 201, 203, 204, D16/208, 209, 212, 213, 216-218; 354/126, 149.11, 202, 288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 289,176 4/1987 Yoshida et al. D16/209

D. 291,090	7/1987	Ago et al.	D16/209
D. 313,423	1/1991	Onuma et al.	D16/209
D. 314,002	1/1991	Yoshida	D16/209
D. 318,677	7/1991	Horikiri	D16/209
4,801,960	1/1989	Hansen	354/288

Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a camera, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a camera showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

