



US00D326959S

United States Patent [19]

[11] Patent Number: **Des. 326,959**

VanDuser et al.

[45] Date of Patent: **** Jun. 16, 1992**

[54] VEHICLE SEAT

[75] Inventors: **Harold J. VanDuser; Eric W. Sauey,**
both of Reedsburg, Wis.

[73] Assignee: **Seats, Inc.,** Reedsburg, Wis.

[**] Term: **14 Years**

[21] Appl. No.: **318,802**

[22] Filed: **Mar. 3, 1989**

[52] U.S. Cl. **D6/356**

[58] Field of Search **D6/334, 356, 364, 365,**
D6/367, 500

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 264,774 6/1982 McGirk et al. D6/356
- D. 280,470 9/1985 Higgins D6/356
- D. 281,472 11/1985 Soederberg D6/356
- D. 298,986 12/1988 Carter D6/364 X

OTHER PUBLICATIONS

Design Catalog, Mar. 1979, p. 41, seat far right in bottom left grouping.

Primary Examiner—Donald P. Walsh

Assistant Examiner—Gary D. Watson

Attorney, Agent, or Firm—Michael, Best & Friedrich

[57] CLAIM

The ornamental design for a vehicle seat, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a vehicle seat showing our new design;

FIG. 2 is a right side elevational view, the left side being a mirror image thereof;

FIG. 3 is a rear elevational view;

FIG. 4 is a top plan view;


FIG. 5 is a front elevational view of a vehicle seat showing a second embodiment of our new design;

FIG. 6 is a right side elevational view of FIG. 5;

FIG. 7 is a rear elevational view of FIG. 5; and,

FIG. 8 is a top plan view of FIG. 5.

The sides of the embodiments not shown are mirror images of the sides shown in FIGS. 2 and 6, respectively.






Fig. 2






Fig. 1






Fig. 6




Fig. 5




Fig. 6




Fig. 7