



US00D327019S

United States Patent [19]

[11] Patent Number: Des. 327,019

Hiraike

[45] Date of Patent: ** Jun. 16, 1992

[54] CLOCK

[75] Inventor: Yasuyuki Hiraike, Tokyo, Japan

[73] Assignee: Rhythm Watch Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 374,227

[22] Filed: Jun. 29, 1989

[30] Foreign Application Priority Data

Jan. 10, 1989 [JP] Japan 1-243

[52] U.S. Cl. D10/7; D10/6

[58] Field of Search D10/1-40,
D10/122-132; 368/276-277, 285; D21/156;
D11/158

[56] References Cited

U.S. PATENT DOCUMENTS

D. 68,012 8/1925 Post D21/156
D. 89,422 3/1933 Buhrle D10/8 X

D. 92,129 5/1934 Gottlieb D10/7 X
D. 131,031 1/1942 Warsaw D10/8
D. 136,167 8/1943 Rubin D21/156
D. 195,417 6/1963 Stanton D21/156 X
D. 265,843 8/1982 Tung D21/156
D. 269,535 6/1983 Tung D21/156 X

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Koda and Antrolia

[57] CLAIM

The ornamental design for a clock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a clock showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

