



US00D327029S

United States Patent [19] Porter

[11] Patent Number: **Des. 327,029**
[45] Date of Patent: **** Jun. 16, 1992**

[54] **SOLAR POWERED SAFETY SIGNAL**
[76] Inventor: **Kenneth W. Porter, 9354 Winward Ct., Jonesboro, Ga. 30236**
[**] Term: **14 Years**
[21] Appl. No.: **572,377**
[22] Filed: **Aug. 27, 1990**
[52] U.S. Cl. **D10/114**
[58] Field of Search **D10/106, 109, 111, 113, D10/114; 116/63 P, 63 R; 40/606, 607, 611, 612; 362/157**

4,736,186 4/1988 Jones .
4,864,299 9/1989 Kuhl 116/63 P

OTHER PUBLICATIONS

Construction Methods Jul. 1959 p. 212 middle of page—Flasher.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Terry M. Gernstein

[57] CLAIM

The ornamental design for a solar powered safety signal, as shown and described.


[56] References Cited

U.S. PATENT DOCUMENTS

D. 185,428	6/1959	Edgar	D10/109
D. 229,355	11/1973	Rausch	D10/106
D. 254,658	4/1980	Wagner .	
3,697,738	10/1972	Decker et al.	116/63 P
3,981,263	9/1976	Capucio	116/63 P
4,447,802	5/1984	Böse	116/63 P
4,455,055	6/1984	Neesbye-Hansen	40/607
4,668,120	5/1987	Roberts .	

DESCRIPTION

FIG. 1 is a front perspective view of a solar powered safety signal showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a left side elevational view thereof; and, FIG. 7 is a right side elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7