



US00D327081S

United States Patent [19]

[11] Patent Number: **Des. 327,081**

Nakamura et al.

[45] Date of Patent: **** Jun. 16, 1992**

[54] **SUNGLASSES WITH TEMPLES
ADJUSTABLE IN LENGTH**

[75] Inventors: **Yasuhiro Nakamura; Kiyoshi Uematsu**, both of Tokyo, Japan
[73] Assignee: **Nikon Corporation**, Tokyo, Japan
[**] Term: **14 Years**
[21] Appl. No.: **597,595**
[22] Filed: **Oct. 15, 1990**

[30] **Foreign Application Priority Data**
Apr. 23, 1990 [JP] Japan 2-13868
[52] U.S. Cl. **D16/102**
[58] Field of Search D16/102, 121, 103, 125,
D16/107, 127, 108, 113, 116, 117, 118, 119;
D21/240; 351/41, 156, 44, 157, 45, 158, 51, 63,
83, 103, 107, 116, 118

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 268,683 4/1983 Tenny D16/102
D. 307,756 5/1990 Porsche D16/108
4,488,792 12/1984 Wagner 351/116
4,834,523 5/1989 Porsche 351/63

OTHER PUBLICATIONS
Hong Kong Enterprise, Sep. 1983, p. 124 left.
Accessories, Dec. 1986, front cover.
Brochure entitled "Nikon Sunglasses Multisport"
(1989).

Primary Examiner—Bernard Ansher
Assistant Examiner—R. Barkai
Attorney, Agent, or Firm—Shapiro and Shapiro

[57] **CLAIM**
The ornamental design for sunglasses with temples adjustable in length, as shown and described.

DESCRIPTION
FIG. 1 is a front elevational view of sunglasses with temples adjustable in length showing our new design, with temples adjusted to the longest position;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof, the left side elevational view being a mirror image;
FIG. 6 is a top, front and right side perspective view thereof;
FIG. 7 is a perspective view thereof, with a pair of nose-pads rotated 90 degrees;
FIG. 8 is a right side elevational view thereof with frames and temples folded while pads are rotated 90 degrees, the left side elevational view being a mirror image;
FIG. 9 is a top plan view thereof, with frames and temples folded while pads are rotated 90 degrees;
FIG. 10 is a right side elevational view thereof with temples adjusted to the shortest position; and,
FIG. 11 is a fragmentary right side elevational view with frame, slide portion on temple and ear piece in a disassembled position, the fragmentary left elevational view being identical.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

