



US00D327223S

United States Patent [19]

Kawashima et al.

[11] **Patent Number:** Des. 327,223[45] **Date of Patent:** ** Jun. 23, 1992[54] **CLOCK**[75] Inventors: Tsunemi Kawashima; Mitsuo Wada,
both of Tokyo, Japan

[73] Assignee: Seikosha Co., Ltd., Japan

[**] Term: 14 Years

[21] Appl. No.: 507,291

[22] Filed: Apr. 9, 1990

[52] U.S. Cl. D10/15; D10/21

[58] Field of Search D10/1-40,
D10/122-126; 368/82-84, 239-242, 276-277,
280-282, 285[56] **References Cited****U.S. PATENT DOCUMENTS**

- D. 191,460 10/1961 Ducommun D10/21 X
D. 193,521 9/1962 Ducommun D10/21 X
D. 250,174 11/1978 Hedgecock D10/21 X
D. 304,161 10/1989 Nomizu D10/21

- D. 310,032 8/1990 Murata D10/15
D. 311,141 10/1990 Murata D10/15
D. 315,682 3/1991 Lin D10/21
D. 318,622 7/1991 Wada D10/15
D. 321,484 11/1991 Yu D10/21

Primary Examiner—Nelson C. Holtje*Attorney, Agent, or Firm*—Bruce L. Adams; Van C. Wilks[57] **CLAIM**

The ornamental design for a clock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a clock showing my new design;

FIG. 2 is a rear elevational view thereof;


FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a front right perspective view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7